

Task 1.2 Launching ROS nodes: In this task, you will learn how to launch ROS nodes and how to interact with ROS.

1.2.1: Launch the graphical display `roslaunch itr_rpc task_1.launch`. Inspect the available messages, topics and services.

1.2.2: Run the default forward kinematics script `roslaunch itr_rpc dummy_fk.py`. Discuss the behavior.

1.2.3: ROS supports dynamically reconfiguring parameters of running nodes. Run the configuration GUI `roslaunch rqt_reconfigure rqt_reconfigure` and switch off the velocity limits. Explain the difference in the behavior.

Task 1.3 Write your first node: In this task, you will write your first own node which performs a circular motion with the TCP. **Ensure, that the velocity limits are off.** After relaunching the GUI, you will have to change the parameter again.

When writing code in Python, ensure that you are using the correct amount of spaces for indentation. In case you use `gedit` as editor, on the bottom bar, set the tab width to 4 and to Use Spaces (Check box must be checked).

1.3.1: The circular motion must be performed around $\left(-\frac{1}{\sqrt{2}}, -\frac{1}{\sqrt{2}}\right)$ with a radius of l_2 . Inspect the GUI to find out the orientation of the coordinate system. Write your script in the `nodes/script.py` file and inspect `nodes/dummy_fk.py` for assistance.

1.3.2: Turn on the velocity limits. Explain what is happening and why. Can you fix your code to work with the velocity limits?

1.3.3: The circular motion is supposed to be only around $\left(-\frac{1}{\sqrt{2}}, -\frac{1}{\sqrt{2}}\right)$. Verify that your circular motion does not start before reaching that position by relaunching the GUI.